





NEMO MISSION

Our 2010 product line is the result of 8 years of devoted labor and half a million years or so of developing better tools for shelter and survival. NEMO is about what we have just discovered and what we have known for a long time. It's about beautiful design and intelligent engineering. It's about serene cloudless days and bitter cold nights spent battling snow drifts and frostbite. It's about bringing two worlds together: the world of design and technology and the actual world where we test ourselves and our inventions. We are pursuing perfection. It is an epic journey, often elusive, demanding youthful energy, creativity, and courage. We have come a long way in our travels and we promise never to yield in our determination. Like our ancestors who explored new places for the first time, we will change the common idea of what is possible.




NEMO's spirit is in adventure. Without the beautiful wild places where adventures are made, our spirit dies. We are committed to reducing our environmental impact. Finding the right path forward takes a great deal of research, problem solving and commitment. And finding the right path is only the first challenge, walking that path is the real test. NEMO has been making strides to use more sustainable materials, to repurpose byproducts of manufacturing, and to recycle products at the end of their useful life. We are taking steps for the future of our planet and hope you will do the same. To learn more about NEMO's GRN™ efforts, please visit our website.





TENSHI™ RIF™

The Removable Insulated Floor™ (RIF™) is a custom fitted interior floor liner for Tenshi™. Constructed from closed-cell EVA foam, the RIF™ makes a tight fit inside Tenshi™ and offers an excellent first layer of defense against the frozen ground. It also eliminates the inevitable cold spots that occur between individual sleeping pads. Grommets in the RIF™ mate with the internal poles to hold the RIF™ securely in place.




Packed Weight:	2.7 lbs (1.2 kg)
Thickness:	0.25" (0.6 cm)
Floor Dimensions:	86" x 47" (218 x 119 cm)
Floor Area:	28 sq ft (2.6 sq m)
Insulation:	Closed-Cell EVA Foam
Fabric:	70D PU Nylon (Top) 30D Sil/PU Nylon (Bottom)

TENSHI™ RIF™
FITS TENSHI™ 2 PERSON TENT




Setup Guide

1. Slide the RIF™ into Tenshi™ with the shiny sil/PU nylon side down and the orange corner up. Place the four pole ends through the corner grommets.



More Tenshi™ Accessories

1. **Pawprint™:** The Pawprint™ is a removable liner for the inside of your tent. It has the dual function of protecting your tent floor from boots and paws and of adding serious comfort. The Pawprint™ is made of a machine-washable brushed fabric that is very soft to the touch. With a clean, soft Pawprint™ under you, you might be able to save some weight and travel with a lighter sleeping bag or blanket.





NEMO Quality

There is a reason why our logo resembles a medieval shield. If you've ever seen an authentic medieval shield or piece of armor, the detail and quality of craftsmanship are astonishing. Hours were spent shaping and perfecting every component knowing the gravity of purpose and the need for reliable performance. At NEMO, we take the same approach to quality. We know from our own experience how vital a tent can be for comfort and survival. Your tent is your home in the wilderness and your armor against the elements. We obsess over every design decision to ensure you get the greatest comfort and protection possible. Our process begins with pencil and paper and evolves methodically through computer modeling, prototyping, testing, and development. We use all the latest tools, software, manufacturing methods, and materials. If we aren't happy with what's available, we make our own. We strive to design and build the best tents on the planet. We stand behind our shield, the symbol of NEMO quality.

To learn more, please visit our website at www.nemoequipment.com.

NEMO Warranty

NEMO guarantees every product we sell. We put great effort into choosing the best materials and providing you with the highest level of workmanship. We proudly stand behind everything we make. NEMO products carry a lifetime warranty against defects in workmanship and materials to original owner, with proof of purchase. Warranted products will be replaced or repaired at NEMO's discretion. NEMO does not warranty products against normal wear and tear, unauthorized modifications or alterations, improper use, improper maintenance, misuse or neglect or if the product is used for a purpose for which it is not intended. Except as expressly set forth in these terms and conditions, NEMO is not liable for any direct, indirect or consequential damages arising out of or resulting from the use of a NEMO product. The warranties set forth in these terms and conditions are in lieu of all other warranties, express or implied, including without limitation, implied warranties of merchantability or fitness for a particular purpose.

If you are having a problem with your NEMO product, please visit www.nemoequipment.com/tent-manufacturer-warranty or call NEMO Customer Service at 1-800-997-9301.

We will do our best to see that you are satisfied with your NEMO product. Our goal is to get you back in the outdoors as quickly as we can.

**WARNING**

Never place your stove, campfire, or other flame source in or near your tent. Never cook, light, or refuel a stove or any other heat source inside your tent. Death by suffocation and/or serious burns is possible.

Maintain adequate ventilation inside your tent at all times. Death by suffocation is possible.

Anchor your tent properly at all times to reduce the risk of loss or injury to the tent or occupants.

Carefully consider the possibility of falling rocks or tree limbs, lightning strikes, flash floods, avalanches, strong winds, and other hazards when choosing a campsite to reduce the risk of loss or injury.

If you have additional questions, please contact NEMO Equipment, Inc. directly at 800-997-9301.

NOTE: All 2010 NEMO tents meet the CPAI-84 standard for flame retardancy.



Printed on Recycled Paper



www.nemoequipment.com

©2010 NEMO Equipment, Inc.