



POLE SUPPORTED
TECHNOLOGY



SCREENED IN PORCH FOR DINING IN CAMP

Sets up just like any tarp, but includes no-see-um mesh walls for creating the perfect environment for enjoying family and your finest campground cooking.

Great for camping, backyards, picnicking, or anywhere bugs might spoil a nice bit of relaxation.

Perfectly suited for hanging over a hammock. Two doors with extra zipper sliders let you pass the hammock ropes through and still zip them shut.

MIN WEIGHT

6 lbs, 3 oz
2.8 kg

PACKED SIZE

23 x 8.5 in dia
58 x 22 cm dia

FLOOR DIM

144 x 144 in
366 x 366 cm

FOR DETAILED SETUP, CARE, AND REPAIR INSTRUCTIONS, VISIT:
www.nemoequipment.com/support


Use a hammock with
Bugout™ to create a
bug-proof shelter.



BUGOUT™ 12x12

6 PERSON





Minimum Weight	6 lbs, 3 oz / 2.8 kg
Packed Weight	7 lbs / 3.2 kg
Packed Size	23 x 8.5 in dia / 58 x 22 cm dia
Wall Fabric	No-see-um Mesh
Tarp Fabric	75D PU Polyester (1,500mm)
Floor Dimensions	144 x 144 in / 366 x 366 cm
Interior Height	84 in / 213 cm
Floor Area	144 sq ft / 13.4 sq m
Included Accessories	Drawstring stuff sack, stakes, guy-out cord, repair kit
Optional Accessories	Adjustable Tarp Pole (80- 99in)

BUGOUT™ HIGHLIGHTS



Mesh walls can be rolled up and secured out of the way.



Attach corners with cord to trekking poles, paddles, nearby trees, or optional DAC Adjustable Tarp Poles.



Multiple stake points at each corner allow you to adjust the shelter height.

BUGOUT™ ACCESSORIES



Adjustable Tarp Poles (80 - 99 in) The pole is shock-corded for easy breakdown and storage.





WARNING

Never place your stove, campfire, or other flame source in or near your tent. Never cook, light, or refuel a stove or any other heat source inside your tent. Death by suffocation and/or serious burns is possible.

Maintain adequate ventilation inside your tent at all times. Death by suffocation is possible.

Anchor your tent properly at all times to reduce the risk of loss or injury to the tent or occupants.

Carefully consider the possibility of falling rocks or tree limbs, lightning strikes, flash floods, avalanches, strong winds, and other hazards when choosing a campsite to reduce the risk of loss or injury.

If you have additional questions, please contact
NEMO Equipment, Inc. at 800-997-9301.

NOTE: All 2015 NEMO tents meet the CPAI-84 standard
for flame retardancy.



www.nemoequipment.com

©2016 NEMO Equipment, Inc.